


Klemsan®



5551206 KKD 1206

KKD 1206

General Product Information	Insulating material	
Dimensions	A	mm
	B	mm
	C	mm
	D	mm
	E	mm
	F	mm
	G	mm
	H	mm
	I	mm
Operating Temperature	Minimum Temperature	
	Maximum Temperature	
Length	U	Mt.
Product Information	Packing Unit	
	Working range	

UL Sertifikası - UL Certificate

Türk Standartlarına Uygunluk Belgesi - Wiring Duct TSE certificate

Order Info



5551206

KKD 1206



Klemsan®

5551001 KKD 1001

General Product Information	Insulating material	
Dimensions	A	mm
	B	mm
	C	mm
	D	mm
	E	mm
	F	mm
	G	mm
	H	mm
	I	mm
Operating Temperature	Minimum Temperature	
	Maximum Temperature	
Length	U	Mt.
Product Information	Packing Unit	
	Working range	

UL Sertifikası - UL Certificate

Türk Standartlarına Uygunluk Belgesi - Wiring Duct TSE certificate

Order Info

5551001



Klemsan®

5558010 KKD 8010

KKD 8010

General Product Information	Insulating material	
Dimensions	A	mm
	B	mm
	C	mm
	D	mm
	E	mm
	F	mm
	G	mm
	H	mm
	I	mm
Operating Temperature	Minimum Temperature	
	Maximum Temperature	
Length	U	Mt.
Product Information	Packing Unit	
	Working range	

UL Sertifikası - UL Certificate


Türk Standartlarına Uygunluk Belgesi - Wiring Duct TSE certificate

Order Info



5558010

KKD 8010



Klemsan®

558080 KKD 8080

KKD 8080

General Product Information	Insulating material
Dimensions	A mm
	B mm
	C mm
	D mm
	E mm
	F mm
	G mm
	H mm
	I mm
Operating Temperature	Minimum Temperature
	Maximum Temperature
Length	U Mt.
Product Information	Packing Unit
	Working range

UL Sertifikası - UL Certificate

Türk Standartlarına Uygunluk Belgesi - Wiring Duct TSE certificate

Order Info




558080

KKD 8080

Klemsan®

5558060 KKD 8060

KKD 8060



General Product Information	Insulating material	
Dimensions	A	mm
	B	mm
	C	mm
	D	mm
	E	mm
	F	mm
	G	mm
	H	mm
	I	mm
Operating Temperature	Minimum Temperature	
	Maximum Temperature	
Length	U	Mt.
Product Information	Packing Unit	
	Working range	

UL Sertifikası - UL Certificate

Türk Standartlarına Uygunluk Belgesi - Wiring Duct TSE certificate

Order Info



5558060

KKD 8060



Klemsan®

5556010 KKD 6010

KKD 6010

General Product Information	Insulating material	
Dimensions	A	mm
	B	mm
	C	mm
	D	mm
	E	mm
	F	mm
	G	mm
	H	mm
	I	mm
Operating Temperature	Minimum Temperature	
	Maximum Temperature	
Length	U	Mt.
Product Information	Packing Unit	
	Working range	

UL Sertifikası - UL Certificate

Türk Standartlarına Uygunluk Belgesi - Wiring Duct TSE certificate

Order Info



5556010

KKD 6010



Klemsan®

5556080 KKD 6080

KKD 6080

General Product Information	Insulating material	
Dimensions	A	mm
	B	mm
	C	mm
	D	mm
	E	mm
	F	mm
	G	mm
	H	mm
	I	mm
Operating Temperature	Minimum Temperature	
	Maximum Temperature	
Length	U	Mt.
Product Information	Packing Unit	
	Working range	

UL Sertifikası - UL Certificate

Türk Standartlarına Uygunluk Belgesi - Wiring Duct TSE certificate

Order Info




5556080

KKD 6080

Klemsan®

5556060 KKD 6060

KKD 6060



General Product Information	Insulating material	
Dimensions	A	mm
	B	mm
	C	mm
	D	mm
	E	mm
	F	mm
	G	mm
	H	mm
	I	mm
Operating Temperature	Minimum Temperature	
	Maximum Temperature	
Length	U	Mt.
Product Information	Packing Unit	
	Working range	

UL Sertifikası - UL Certificate

Türk Standartlarına Uygunluk Belgesi - Wiring Duct TSE certificate

Order Info




5556060

KKD 6060

Klemsan®

5556040 KKD 6040

KKD 6040



General Product Information	Insulating material	
Dimensions	A	mm
	B	mm
	C	mm
	D	mm
	E	mm
	F	mm
	G	mm
	H	mm
	I	mm
Operating Temperature	Minimum Temperature	
	Maximum Temperature	
Length	U	Mt.
Product Information	Packing Unit	
	Working range	

UL Sertifikası - UL Certificate

Türk Standartlarına Uygunluk Belgesi - Wiring Duct TSE certificate

Order Info



5556040

KKD 6040



Klemsan®

5554010 KKD 4010

KKD 4010

General Product Information	Insulating material	
Dimensions	A	mm
	B	mm
	C	mm
	D	mm
	E	mm
	F	mm
	G	mm
	H	mm
	I	mm
Operating Temperature	Minimum Temperature	
	Maximum Temperature	
Length	U	Mt.
Product Information	Packing Unit	
	Working range	

UL Sertifikası - UL Certificate

Türk Standartlarına Uygunluk Belgesi - Wiring Duct TSE certificate

Order Info



5554010

KKD 4010



Klemsan®

5554080 KKD 4080

KKD 4080

General Product Information	Insulating material	
Dimensions	A	mm
	B	mm
	C	mm
	D	mm
	E	mm
	F	mm
	G	mm
	H	mm
	I	mm
Operating Temperature	Minimum Temperature	
	Maximum Temperature	
Length	U	Mt.
Product Information	Packing Unit	
	Working range	

UL Sertifikası - UL Certificate


Türk Standartlarına Uygunluk Belgesi - Wiring Duct TSE certificate

Order Info



5554080

KKD 4080



Klemsan®

5554060 KKD 4060

KKD 4060

General Product Information	Insulating material	
Dimensions	A	mm
	B	mm
	C	mm
	D	mm
	E	mm
	F	mm
	G	mm
	H	mm
	I	mm
Operating Temperature	Minimum Temperature	
	Maximum Temperature	
Length	U	Mt.
Product Information	Packing Unit	
	Working range	

UL Sertifikası - UL Certificate

Türk Standartlarına Uygunluk Belgesi - Wiring Duct TSE certificate

Order Info




5554060

KKD 4060

Klemsan®

5554040 KKD 4040

KKD 4040



General Product Information	Insulating material	
Dimensions	A	mm
	B	mm
	C	mm
	D	mm
	E	mm
	F	mm
	G	mm
	H	mm
	I	mm
Operating Temperature	Minimum Temperature	
	Maximum Temperature	
Length	U	Mt.
Product Information	Packing Unit	
	Working range	

UL Sertifikası - UL Certificate

Türk Standartlarına Uygunluk Belgesi - Wiring Duct TSE certificate

Order Info



5554040

KKD 4040



Klemsan®

5552510 KKD 2510

KKD 2510

General Product Information	Insulating material	
Dimensions	A	mm
	B	mm
	C	mm
	D	mm
	E	mm
	F	mm
	G	mm
	H	mm
	I	mm
Operating Temperature	Minimum Temperature	
	Maximum Temperature	
Length	U	Mt.
Product Information	Packing Unit	
	Working range	

UL Sertifikası - UL Certificate

Türk Standartlarına Uygunluk Belgesi - Wiring Duct TSE certificate

Order Info



5552510

KKD 2510



Klemsan®

5552580 KKD 2580

KKD 2580

General Product Information	Insulating material	
Dimensions	A	mm
	B	mm
	C	mm
	D	mm
	E	mm
	F	mm
	G	mm
	H	mm
	I	mm
Operating Temperature	Minimum Temperature	
	Maximum Temperature	
Length	U	Mt.
Product Information	Packing Unit	
	Working range	

UL Sertifikası - UL Certificate

Türk Standartlarına Uygunluk Belgesi - Wiring Duct TSE certificate

Order Info



5552580

KKD 2580



Klemsan®

552560 KKD 2560

KKD 2560

General Product Information	Insulating material	
Dimensions	A	mm
	B	mm
	C	mm
	D	mm
	E	mm
	F	mm
	G	mm
	H	mm
	I	mm
Operating Temperature	Minimum Temperature	
	Maximum Temperature	
Length	U	Mt.
Product Information	Packing Unit	
	Working range	

UL Sertifikası - UL Certificate

Türk Standartlarına Uygunluk Belgesi - Wiring Duct TSE certificate

Order Info




552560

KKD 2560

Klemsan®

552540 KKD 2540

KKD 2540



General Product Information	Insulating material
Dimensions	A mm
	B mm
	C mm
	D mm
	E mm
	F mm
	G mm
	H mm
	I mm
Operating Temperature	Minimum Temperature
	Maximum Temperature
Length	U Mt.
Product Information	Packing Unit
	Working range

UL Sertifikası - UL Certificate

Türk Standartlarına Uygunluk Belgesi - Wiring Duct TSE certificate

Order Info




552540

KKD 2540

Klemsan®

552530 KKD 2530

KKD 2530



General Product Information	Insulating material	
Dimensions	A	mm
	B	mm
	C	mm
	D	mm
	E	mm
	F	mm
	G	mm
	H	mm
	I	mm
Operating Temperature	Minimum Temperature	
	Maximum Temperature	
Length	U	Mt.
Product Information	Packing Unit	
	Working range	

UL Sertifikası - UL Certificate

Türk Standartlarına Uygunluk Belgesi - Wiring Duct TSE certificate

Order Info



552530

KKD 2530



Klemsan®

551080YP KKC 1540

15x40 Slotted, Self-Adhesive Wiring Duct, Grey

General Product Information	Insulating material	PVC - UL 94 V0
Dimensions	A	15 mm
	B	40 mm
	C	10,2 mm
	D	5 mm
	E	7,5 mm
	F	2 mm
	G	4,5 mm
	H	— mm
	I	25 mm
Operating Temperature	Minimum Temperature	-15°C
	Maximum Temperature	+60°C
Length	U	2 Mt.
Product Information	Packing Unit	80x2
	Working range	

Türk Standartlarına Uygunluk Belgesi - Wiring Duct TSE certificate

LAPEM - RETIE Sertifikası - LAPEM - Retie Certificate

Order Info

- 551080 15x40 Slotted wiring duct,Grey
- 551080YP 15x40 Slotted, Self-Adhesive Wiring Duct, Grey

